

COVID-19 Vaccine Adolescent/Adult (12Y+), 2024-2025 Formula

Vaccine Fact Sheet



Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
Manufacturer	Pfizer-BioNTech	Moderna	Novavax
Product Info	Prescribing Info Pfizer at a Glance	Prescribing Info Moderna at a Glance	Prescribing Info Novavax at a Glance
Protects Against	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)	Coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)
Approved/Authorized Ages	12 years +	12 years +	12 years +
Routine Schedule & Intervals	Individuals 12 years and older: - Unvaccinated: 1 dose Previously vaccinated with any COVID-19 vaccine: 1 dose at least 2 months after the last dose of COVID-19 vaccine 65 years and older: 1 dose Immunocompromised: See CDPH Timing Guide	Individuals 12 years and older: - Unvaccinated: 1 dose Previously vaccinated with any COVID-19 vaccine: 1 dose at least 2 months after the last dose of COVID-19 vaccine 65 years and older: 1 dose Immunocompromised: See CDPH Timing Guide	Individuals 12 years and older: - Unvaccinated: a series of two doses 3 weeks apart Previously vaccinated with 1 dose of Novavax: 1 dose at least 3 weeks after the previous dose to complete the 2-dose series. Previously vaccinated with and COVID-19 vaccine or with 2 or more doses of Novavax: 1 dose at least 2 months after the last dose of COVID-19 vaccine Immunocompromised: See CDPH Timing Guide
Administration	Intramuscular (IM) injection	Intramuscular (IM) injection	Intramuscular (IM) injection

Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
Packaging	Single-dose vials – 10 vials per box Prefilled syringes: 10 single-dose, manufacturer-filled syringes	Single-dose vial – 10 vials per box (pre-filled syringes available for private purchase)	Single-dose prefilled syringe- 10 per box
NDC (Unit of Sale, Carton)	00069-2403-10 (00069-2432-10 for syringes)	Pre-filled syringe: 80777-0110-96 Blister-sealed: 80777-0110-93 Single dose vials: 80777-0110-95	80631-107-10
NDC (Unit of Use, Vial)	00069-2403-01 (00069-2432-01 for syringes)	Syringe: 80777-0110-01 Single dose vial: 80777-0110-04	80631-107-01
Dosage	30 micrograms/dose (0.3 mL)	50 micrograms/dose (0.5 mL)	5 micrograms/dose (0.5 mL)
Shipping	Single dose vials: Ships from manufacturer with dry ice and between -90°C and -60°C (-130°F to -76°F) Prefilled syringes: Ships from manufacturer between 2°C and 8°C (36°F and 46°F). Shipping containers are designed to maintain temperatures for 84 hrs. and don't include temperature monitors; sticker on box includes shipping date. Providers may request packing slips from Pfizer Customer Service if more than the sticker on the box is needed. Do not return shipping containers.	Ships frozen between -50°C and -15°C (-58°F and 5°F)	Ships at temperatures between 2° to 8°C (36° to 46°F)
Storage	Store unpunctured vials in ULT unit (-90 to -60°C) until expiration or refrigerator at 2-8°C (36-46°F) for up to 10 weeks. DO NOT FREEZE. Protect vaccine from light.	Store prefilled syringes or single dose vials in a freezer at -50°C to -15°C (-58°F to 5°F) until expiration. After thawing, store in refrigerator at 2°C to 8°C (36°F to 46°F) for up to 60 days or until the expiration date printed on	Store single-dose pre-filled syringes in a refrigerator between 2 to 8°C (36 to 46°F) until expiration. DO NOT FREEZE. Protect vaccine from light.

Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
	Prefilled syringes: MUST BE STORED BETWEEN 2°C and 8°C (36°F and 46°F) and until expiration. DO NOT FREEZE. Total time at 8°C to 25°C (46°F to 77°F) must not exceed 12 hours.	carton, whichever comes first. Maybe stored at 8°C to 25°C (46°F to 77°F) for up to 12 hours. Protect vaccine from light. Do not refreeze once thawed.	
Use-By Limit	Discard after single use Prefilled syringes: 10-week beyond-use date for refrigerator storage does not apply.	Discard after single use	Discard after single use
Expiration Date	See expiration date printed on the product and carton, or for thawed products, to the refrigerated expiration date recorded on the carton	Scan QR code on carton or use expiry checker	Scan QR code on carton or use expiry checker
Recommendations	COVID-19 ACIP Vaccine Recommendations	COVID-19 ACIP Vaccine Recommendations	COVID-19 ACIP Vaccine Recommendations
VIS	COVID-19 VIS	COVID-19 VIS	Distribute EUA fact sheet
Program Letter	VFC Letter	VFC Letter	VFC Letter
Billing Codes	Medi-Cal FFS billing code: 90480-SL (providers are only reimbursed for admin fee) Medi-Cal Managed Care: Contact Medi-Cal managed care health plan for details Private patients: CPT Code 91320 for vaccine, 90480 for administration; CVX Code 309. (Prefilled syringes: CPT Code 91320; CVX Code 309)	Medi-Cal FFS billing code: 90480-SL (providers are only reimbursed for admin fee) Medi-Cal Managed Care: Contact the Medi-Cal managed care health plan for details Private patients: CPT Code 91322 for vaccine, 90480 for administration; CVX Code 312.	Medi-Cal FFS billing code: 90480-SL (providers are only reimbursed for admin fee) Medi-Cal Managed Care: Contact the Medi-Cal managed care health plan for details Private patients: CPT Code 91304 for vaccine, 90480 for administration; CVX Code 313.

Topic	Comirnaty	Spikevax	Novavax COVID-19 Vaccine
Comments	Authorized under emergency use and updated to a monovalent vaccine based on the Omicron JN.1-lineage of SARS-CoV-2, KP.2	Authorized under emergency use and updated to a monovalent vaccine based on the Omicron JN.1-lineage of SARS-CoV-2, KP.2	Authorized under emergency use and updated to a monovalent vaccine based on the Omicron JN.1-lineage of SARS-CoV-2, KP.2